Index

Adrenalin. *See under* Epinephrine
Adrenergic agents
  in angle-closure glaucoma, 22
  in aphakia, 17, 19, 98
  in open-angle glaucoma, 63–64
  in treatment of young, 46, 47–48
  See also Epinephrine
Aerospace Medical Association, 175
Airline pilots and observation for glaucoma, 175–177
Angle
  closed. *See* Angle-closure glaucoma
  narrow, tests for, 13
Angle-closure glaucoma, 3–14, 21–25
  acute, 194–198
  diagnosis of, 144–158, 207
  vs. simple glaucoma, 200–207
  tests verified gonioscopically, 203
Anterior chamber, reforming of, 108–109
Anticholinesterase agents, 46
Aphakia, 15–20, 50
Aphakic glaucoma, 188–193
Applanation vs. Schiotz tonometer, 210
Applanation (Goldmann) pressures, 170
  elevated, 121–137
    high normal, 208–209
  upper limit of normality, 160
Aqueous humor dynamics, 6, 7, 163, 167, 172, 173, 174, 207
Atrophy, glaucomatous optic, 129
Atropine and corneal ulcer, 194

Betamethasone, 126
Bleb(s)
  with cataracts, 76–80
  after cyclodiathermy, 191
  in fluctuating vision, 30, 32, 33, 34
  and gonioscopy, 198
  good, defined, 97–98
  ruptured filtering, 220
  after Scheie procedure, 193
  surgical procedure for altering, 99–100
  and tonography, 198
Blind spots, 169
Blood–aqueous humor barrier and pilocarpine, 216
Blood pressure, high, effects of, 26–29
Bright light test. *See* Light used for miosis
Burned-out glaucoma, 28

Calcium carbonate stone, 181
Carbachol
  and blockage of outflow by iris, 146
  in differential diagnosis, 148, 149
  in open-angle glaucoma, 101
  in unresponsive glaucoma, 63
Carbonic anhydrase inhibitors
  following cyclodialysis, 186
  and high myopia, 138–142
  and kidney stones, 181
  for patient with one kidney, 218
  rules for use of, 99
  in simple glaucoma, 205
Cataract(s)
  congenital, 188, 190
  extraction of, 59–62, 76–79, 178
    and glaucoma, 219
  nuclear, 51–62
  phospholine caused, 103–104
  progressive, and angle-closure, 155
  with simple glaucoma, 210–211
Catecholamines, sensitivity to, 131

Cautery, 4
Chalazion, 32
Chemosis, 121–137
Chiasmal lesion, 42
Close work, effects of, 35–36
Closure, repeated, 4
Conjunctival flap, 220
Conus, interior and inferonasal, 172
Cornea in secondary glaucoma, 164
Corneal edema
  and epinephrine, 183–184
  in Fuchs' dystrophy, 78–79
  and peripheral iridectomy, 9
  resulting from surgery, 72
Corneal graft. *See* Corneal transplant
Corneal splitting, 12
Corneal transplant, 74–76, 79–80
Corneal ulcer, 194
Craniopharyngioma, 44
Cryosurgery, 192
Cups
  difference in two eyes as sign of glaucoma, 167
  physiologic, vs. glaucomatous, criteria for, 95–96, 113–120
C value abnormality, 170, 173
Cyclitis, chronic, 64
Cyclocryotherapy, 192
Cyclodialysis
  in a child, 188–192
  in epinephrine maculopathy, 186
Cyclodiathermy, 191
  repeated, 218–219
Cyclogyl, 201, 214
Cycloplegics, 202
Cysts, 17, 45

Daranide in exophthalmos, 129, 130, 132, 133, 134, 135
Dark adaptation of airline pilot, 177
Darkroom test in differential diagnosis, 150, 201, 204
  reverse, 200, 203
Demecarium bromide, 142
Dexamethasone, 126
Diagnosis, differential. *See* Glaucoma, diagnosis of type
Diamox for reduction of tensions, 124, 127, 131, 178, 179, 188
  and age of patient, 98–99
  in angle-closure glaucoma, 5, 22, 23, 37, 38
  combined with epinephrine, 96
  in exophthalmos, 124
  for long-term therapy, 72
  as maximum medication, 211
  and nonresponsive glaucoma, 63, 67
  to prevent rebound phenomena, 213
  and renal colic, 180–182
  and uniocular patient, 143
  and young aphakic patient, 19
Dilatation, 13
Discs, interpretation of, 113–120, 159–168
Diurnal pressure studies, 176
Drusen, 87, 88

Echothiophate iodide, 142
Edema. *See* Corneal edema; Retinal edema
Endophthalmitis
  following glaucoma surgery, 37, 39
  suppurative, following tonography and gonioscopy, 198
Epifrin, 66
Epinephrine for reduction of tension
  Adrenalin in treatment of young, 50
  and aphakia, 183, 184, 185, 186
  in young patient, 16, 18
  combined with mild miotics, 96
  and dendritic ulcer, 131, 133, 135
  dosage frequency, 208
  following iridectomy, 10, 179
  long-term use of, 98
  in nonresponsive glaucoma, 63, 67
  in open-angle glaucoma, 45
  with nuclear cataracts, 52
  in simple glaucoma, 205
  in suspicion of glaucoma, 160, 165
  toxicity of, 183

in treating airline pilot, 177
and uniocular patient, 138, 143
as useful drug, 186
Epiphora, 82–85
Eucatropine, 203
Exophoria, 129
Exophthalmos, 121–137
thyrotropic, 212
Extraction, intracapsular, 80

Filtering procedure
in angle-closure glaucoma, 4, 5, 10, 196
blurring vision after, 33
with cataracts and simple glaucoma, 211
limboscleral, 218
in open-angle glaucoma, 215
reforming anterior chamber, 108
scleral cautery. *See* Scheie procedure
Fish-hook injury, 194
Fluid intake of glaucoma patients, 213–214
Fuchs' dystrophy, 72–80
Furmethide, 84

Glaucoma
diagnosis of type, 144–158, 199–207
field testing, 53–54
See also specific kinds, as Angle-closure glaucoma
Glaucomatocyclitic crisis, 164
Glaukomflecken, 150, 194, 196
Gold leaf, intraocular, 100
Goldmann lens, 105–106
Goldmann perimeter, 216
Goldmann pressures. *See* Applanation pressures
Gonioscopy, slit-lamp, 105–106
Guttate change in corneal transplant, 80

Halos, colored, 35
Herpes simplex, 136
Hildreth cautery, 101
Humorsol
in exophthalmos, 129, 130, 132, 133, 134, 135
after peripheral iridectomy with scleral cautery, 205
and pseudomembrane, 85
Hydeltrasol, 90
Hyperopia, 36
Hypertension. *See* Blood pressure, high
Hyperthyroidism, 121, 122, 126
Hypotony, 30, 34

Idoxuridine for dendritic ulcer, 130, 132
IDU. *See* Idoxuridine
Iodine
radioactive, 121
tincture of, and ruptured filtering bleb, 220
Iridectomy(ies), 188, 189
bilateral, 9
with cyclodialysis, 192
peripheral, 178
in angle-closure glaucoma, 4, 5, 6, 14, 23, 194, 196, 197
conjunctival flap in, 217
and mature cataract with glaucoma, 211
in open-angle glaucoma, 220
and positive mydriasis test, 214
in pupillary block, 35–36
in simple glaucoma, 205, 206, 207
and spontaneous closure of angle, 214–215
prophylactic, 5
techniques for, 11-12
Iridencleisis, 12, 194, 211
Iris bombé, 189, 208, 217
Iris root, attachment of, 207
Iritis, 158
Isopter, white, 7

Keratitic precipitates, 63

Keratopathy, bullous, 78, 79
Keratoplasty, 75, 78
Kidney stones, 181–182
Koeppe lens, 105–106
K. P.'s. *See* Keratitic precipitates
Krükenberg spindle, 164

Lancet, 137
Lens, swollen, 21
Lens extraction and control of open-angle glaucoma, 211
Levo-epinephrine
  in angle-closure glaucoma, 38
  in open-angle glaucoma, 48, 49, 50
  tolerance for, 16, 17, 18
Life expectancy and control of glaucoma, 164
Light used for miosis, 200, 204

Macula and levo-epinephrine, 50
Macular lesion, 182
Maculopathy, epinephrine, 185
McLean's suture, 217
Minticol, 85
Miosis, 15
Miotics, 159, 160
  in angle-closure glaucoma, 4, 37, 156
  in chronic simple glaucoma, 185
  and induced myopia, 46
  non-tolerance of, 96–97
  routine use of, 221
  strong, 205, 211
    in open-angle glaucoma, 220
  in treatment of airline pilot, 175
  and uniocular patient, 141, 142, 185
  and vitreous opacities, 19
  weak, and angle-closure glaucoma, 201
  and young patients, 163, 164
Monocular patient. *See* Uniocular patient
Mydriacyl, 205
Mydriasis
  inadequate, 189
  and open-angle glaucoma, 148, 214
Mydriatics and corneal injury, 197
Mydriatic test(s)
  for angle-closure glaucoma, 147, 148, 150–153, 201, 202, 212–213
  and medicolegal problems, 213
  and open-angle glaucoma, 203
  procedure for, 204
Myope(s)
  chronic simple glaucoma in, 170
  and miotics, 221
Myopia
  episodic, 49
  high, 138–143
    and angle-closure glaucoma, 21, 22
  mild, 178
  and strong miotics, 45–46
  tonometers in, 210

Narrow-angle glaucoma, 4, 35–36
Nasal contraction, 125, 128
Nasolacrimal apparatus, 83–85
Neo-Synephrine, 46
  and corneal edema, 184
  and mydriatic tests, 202, 214
  in pigmentary glaucoma, 215
Neptazane as substitute for Diamox, 181
Nerve fiber bundle defects, 53, 55, 86–94
Nuclear cataracts, 72
Nuclear sclerosis, 138, 155
Nystagmus, 15–20, 101

Occlusion, central retinal arterial, 40
Ocular rigidity and applanation tonometry, 210
One-eyed patient. *See* Uniocular patient
Opacities, vitreous, 19
Open-angle glaucoma, 14
  anticoagulants in, 94
  criteria for surgery, 218
  diagnosis of, 144–158, 159–168, 207

with epiphora, 81–85
with Fuchs' dystrophy and nuclear cataracts, 72
mydriatic test in, 201
with nuclear cataracts, 51–62
Phospholine Iodide in, 45–50
pilocarpine in, 99
with sarcoidosis, 63–71
Ophthalmodynamometry, 105
Optic nerve, congenital abnormality of, 169–174
Osmotic agent, 38, 40

2-PAM, 104–105
Paradrine, 13
Perimetry
kinetic, 212
static, 172
defined, 212
Peritomy, 217
Phenylephrine
and cysts of iris, 46
in open-angle glaucoma, 101
Phospholine Iodide
in angle-closure glaucoma, 9, 10
in aphakia, 15–16
and congenital cataracts, 188
defects of, 100–101
in open-angle glaucoma, 45, 46, 48, 49, 50, 64
with epiphora, 83, 84–85
replacing pilocarpine, 179
Physostigmine, 4
Pigmentary glaucoma, 45, 164, 215
Pilocarpine
in angle-closure glaucoma, 4, 9, 11, 21–22, 38, 152, 154
in aphakia, 15, 18
combined with epinephrine, 208
in exophthalmos, 124
following surgery, 178
peripheral iridectomy, 197
and increased intraocular pressure, 216
in narrow-angle glaucoma, 35
and nonresponsive glaucoma, 63, 66, 67, 70
in oily vehicle, 104
in open-angle glaucoma, 46, 48, 49, 50, 54, 99
in optic nerve abnormality, 173, 174
in progressive field loss, 41
and reduction of tensions, 116, 117, 124, 127
and trabecular meshwork, 217
and uniocular patient, 142
and young patients, 163
Plateau, 101
Prednisolone in sarcoidosis, 65
Prednisone in exophthalmos, 129, 130, 131
Pressure bandage, 220
Pressure, intraocular, 38, 40, 46, 47
Pressure test, 200
Pro-Banthine, 149
Prosthesis, corneal, 79
Provocative test, 150, 151, 194
See also Darkroom test; Mydriatic test; Pressure test; Water-drinking test
Puncta, contraction of, 83–89
Pupillary block, 22–25, 35, 36
prevention of, after cyclodiathermy, 191

Refraction, changes in, 31–32
Renal colic, 182
Renal stones. *See* Kidney stones
Retinal detachment, 142
with pilocarpine, 99
Retinal edema, 18
Retinopathy, diabetic, 91
Retrobulbar anesthesia, 99
Retrobulbar injection, 39, 40

Sarcoidosis, 63–71
Scheie procedure
in angle-closure glaucoma, 12, 38–40
in child, 193
in Fuchs' dystrophy, 73, 74
in open-angle glaucoma, 67, 70
Schiotz pressures, 123, 125

Schiotz scale
1948 scale, 210
1955 scale, 210
Schiotz tonometer. *See under* Tonometer
Schiotz tonometry, 20, 169, 170
criterion for, 209
Scleral cautery, 205
See also Scheie procedure
Scleral section, 77–78
Sclerectomy
posterior lip, 215, 220
bilateral, 30
Scotoma, 157–158
absolute, 212
Bjerrum, 87, 188
paracentral, 212
Scotometry, 216
Screens, tangent, 216
Secondary glaucoma, 63–71, 123
Simple glaucoma, 4, 11
diagnosis of, 144–158, 205, 207
Soft glaucoma, 86–94
Spherophakia, 101
Spots, showers of, 18
Steroid glaucoma, 144
Steroid-provocative test, 157
Steroids
effects of, 121–137
in susceptible patients, 157–158
and sarcoidosis, 65, 66
subconjunctival, 37
report on, 137
systemic, 123, 124, 126–127, 129, 131, 182
topical, 136
Surgery
cataract and glaucoma, 211
combined cataract and cyclodialysis, 219
indications for, 188
Synechias, 192–193
after cyclodiathermy, 191
peripheral, 206
peripheral anterior, 37, 200

Tearing, 81–85
Temporal island, 196
Tenon's capsule, closure of, in posterior lip sclerectomy, 215
Thermosclerectomy, 190
Tonogram. *See* Tonography
Tonography, 4, 7, 100
Tonometer
applanation, 107–108
Schiotz, 107–108, 123
Toxoplasmosis, 89
Trabecular meshwork and effect of pilocarpine, 217
Trabeculum, anterior, 199
Trephine, 12
Tubingen perimetry, 216
Tumor, pituitary, 42–43

Ulcers, dendritic, 130–133
Uniocular patient, 138–143, 185, 194–198
"U. S. Air Force Policy on Glaucoma, Current," 175
Uveal-scleral flow and pilocarpine, 217
Uveitis
and angle-closure glaucoma, 23, 158
and aphakia, 19
effect of treatment with steroids, 144, 148
precipitating closure, 150, 151, 154
with secondary glaucoma, 63–71

Vision, fluctuating, 30–34
Vitreous floaters and miotics, 214

Water-drinking test, 107, 115–116, 162, 172, 176
positive, 156

Young patients, treatment of, 46–47, 49–50

Zeiss contact lens, 153

Index

Accidents with lenses. *See* Complications with lenses
Accommodation effect, 310
Acridine orange, studies with, 284
Alignment of lens and corneal profile, 323
Allergic complications, 292–294, 488–489, 492
  acute intolerance, 488
  characteristics of patients with, 293
  as contraindication for lenses, 337, 341
  implications of, 294
  progressive intolerance, 488
  soft lenses in, 372, 373
  test for, 292–293
  treatment of, 496
Amblyopia, 335
  bivisual telescopic system in, 435
  Braff method for, 435
  Feinbloom method for, 435
  fitting of patient, 431–435
  microscopic contact lenses in, 435
  reversed telescopic system in, 435
  spectacles plus contact lenses in, 432–434
  Telecon system in, 435
  telescopic spectacles in, 431
Ametropia, 334
  soft lenses in, 375, 379
Amiard, H., 348, 417, 419
Amiard photokeratometer, 342, 437
Amiard sagittal depth chart, 411, 453, 474, 500–501
Anatomy of cornea, 298–301
Aniseikonia, 309
  residual, 334, 412
Anoxia
  and cicatrization process, 305
  corneal edema from, 302
  neovascularization from, 304
Aphakia, 332–333
  advantages of contact lenses in, 408
  in childhood, 435–436
  choosing of lens for, 410–412
  disadvantages of contact lenses in, 408–409
  fitting of patients, 405–412
  and Jack-in-the-box phenomenon, 407
  lacrimal film in, 344
  overcorrection in, 412
  scleral lens in, 409, 410
  soft lens in, 380
  spectacle lenses in, 406
  time for fitting of patient, 410
  visual field in, 407
Aqueous layer of precorneal film, 301
Ashton, studies of, 304
Aspherical lens, 329
Astigmatism, 309, 311, 329, 333–334
  conoid lenses in, 400–401
  fitting of patients, 389–405
  fluorescein patterns in, 393–395
  geometric problems with, 390–393
  inverse, 404
  measuring of, 247, 249, 250
  optical problems in, 401–404
  photokeratometry in, 398–400

Astigmatism—*Continued*
prismatic lenses in, 404
residual, 315–316
correction of, 395, 403–404
frequency of, 402
induced, 402
on opposite axis, 404
physiological, 402
on same axis, 403
search for, 403
soft lenses in, 373, 379
spherical cornea in, 400–401
spherical lenses in, 392
spherotoric lenses in, 316, 393, 395–396, 404
toric lenses in, 396–398, 404
trial lens in, 392
Austria, history of contact lenses in, 235

Basal membrane of cornea, 299–300
Bausch & Lomb ophthalmometer, 391
Bicurve lens, 326–327
modifiable, 360, 369
Bifocal lenses
annular, manufacture of, 475–476
in presbyopia, 425–426
Biometry, 243–244, 342
Biomicroscopy, 344
in astigmatism, 391
for epithelial fragility, 295
in followup studies, 464
in keratoconus, 417
of precorneal film, 280–281
in quality control of edges, 456
for soft lenses, 377–379
Blepharitis, as contraindication for lenses, 336, 337
Blinking
changes in rate of, 463
rates of, 301, 306
suppression of, 457
Boberg-Ans, studies of, 275, 276, 277, 278
Bonnet, R., 243, 254–255, 295, 478, 483, 487, 488
Cochet-Bonnet esthesiometer, 276, 295, 343
Boutier, M., 295, 478, 483
Bowman's membrane, 300
Bronner, Gerhardt, studies of, 278

Calibers, use of, 447, 449
Campbell, Michaelson, studies of, 304
Canals, intracorneal, 301
Cataract operation, consequences of, 405. *See also* Aphakia
Centering of lens, 313–315
decentering, 315
recentering, 459
in soft lenses, 377
Change of corneal shape, under lens, 304, 313, 325, 465, 478
Children
advantages of lenses for, 437
congenital cataract in, 439
fitting of, 435–440
geometric factors in, 436–437
insertion of lens by, 458
medical supervision of, 437
myopia development in, 439–440
optical difficulties in, 436
psychological difficulties in, 436
results with, 437–440
scleral lens for, 436, 439
soft lenses for, 371–372, 387, 436, 439
traumatic cataract in, 438–439
Cicatrization, 304–305, 486–487
Circulation, lacrimal, 324–325
Coaxial radii. *See* Radii, coaxial
Cochet, P., 292, 295, 341, 348, 439
Cochet-Bonnet esthesiometer, 276, 295, 343
Collyria, in conjunctival folliculosis, 495
Color of iris, changes in, 336

Complications with lenses, 477–492
allergy, 488–489. *See also* Allergic complications
deformation of cornea, 478–480, 491
edema, 302, 480–481, 491
infection, 486
neovascularization, 304, 487
prophylactic measures for, 491–492
psychological factors in, 336, 338–339, 340–341, 491
in childhood, 436
scarring of cornea, 304–305, 486–487
with soft lenses, 381–383
toxicity of plastic materials, 489–491
traumatic pterygium, 487
ulcerations, 481–487, 492
Conjunctiva
friction points in, 347
pathology of, 305–306
Conjunctival folliculosis, 337, 495
and epithelial fragility, 296
Conjunctivitis, as contraindication for lenses, 336
Conoid lens, 329
in astigmatism, 400–401
Continuous curve lens, 328
Contraceptives, oral, as fitting problem, 341
Contraindications for lenses, 336–339, 340–341, 344
for soft lenses, 372–373
Control visits, after trial lens, 369
Cornea
anatomy of, 298–301
geometry of, 316–323
layers of, 299–301
physiology of, 302–303, 305–306
physiopathology of, 303–305
precorneal film, 301. *See also* Precorneal film
sensitivity of, 275–279. *See also* Esthesiometry
topography of, 244–268, 342
Corticoids, local, effects of, 485
Creighton sagittal depth tables, 452, 472
Cutting of lenses, 468

Decentering, 315
Deformation of cornea, from lenses, 478–480
prophylactic measures for, 491
Descemet's membrane, 300
Detachment of retina, 337
Deturgescence of cornea, 302
Diameters of lenses
measuring of, 441
reduction of, 477
techniques for, 475
Diet, affecting epithelium, 338, 340
Dimensions of theoretical lens, establishment of, 347–353
Displacement of lens, 463
Dreyfus, studies of, 381–382
Dubois, G., 428
Duke-Elder, studies of, 244
Dust particles, effects of, 325, 338, 372, 463, 484, 492
Dyes, organic, studies with, 284

Eccentricity, 243
Edema of cornea, 302, 480–481
followup studies, 464
prophylactic measures in, 491
Edge of lens
completion of, 474
polishing of, 477
quality control for, 454–456
Ellipse, equation for, 321
Ellipsoid lens, 329
Endocrine disorders, 341, 480, 491
Endothelium of cornea, 301
in edema, 302
Eosinophilia, and allergy to lenses, 293

Epithelial fragility, 294–296, 338, 346
causes of, 296
in childhood, 437
and deformation of cornea, 479
determination of, 294–296
implications of, 296
and soft lens use, 372
therapy of, 296, 496
and ulcerations, 481
Epithelium of cornea, 299
anterior, rupture of, corneal edema from, 302
cicatrization in, 304–305
diet affecting, 338, 340
Equilibrium, oculomotor, 344–345
with soft lenses, 377
Erosions of cornea, 304–305. *See also* Ulcerations
Estevez, J., 490
Esthesiometer, 275–276, 295, 343
Esthesiometry, 275–279
followup studies with, 465–466
hyperesthesia, 343
hypoesthesia, 278, 337, 343
mean sensitivity by age groups, 278
normal sensitivity, 277
technique of, 276–277
for tests of epithelial fragility, 295
threshold of sensitivity in, 279
Examination methods, 243–296
for allergic reactions, 292–294
biometry, 243–244
for corneal sensitivity, 275–279
for epithelial fragility, 294–296
fluorescein in, 284, 286–292
history-taking in, 339–341, 462–463
keratometry, 245–256
lacrimal secretion evaluation, 280–286
molding technique, 268–275
ophthalmological studies, 341–345, 436
photokeratometry, 256–268
preliminary studies, 339–347
for soft lenses, 376–379
with topographic ophthalmometry, 348–353
for topography of cornea, 244–268
trial of lens in, 345–347
Eyelids, pathology of, 306

Farben Industries, 237
Fatty secretions, 495
Feinbloom, studies of, 237, 238, 435
Field of vision, 309
in aphakia, 407
Filderman, studies of, 435
Fitting of lens
in amblyopia, 431–435
in aphakia, 405–412
in astigmatism, 389–405
for children, 435–440
errors in, ulcerations from, 485
in keratoconus, 412–424
in presbyopia, 424–431
for soft lenses, 376–379, 387
for special patients, 389–440
for theoretical lens, 347–361
trial lens in, 345–347, 361–369
Fixation point
in esthesiometry, 343
in topographic ophthalmometry, 348–349
Flattening of cornea, 319–320
determination of coefficient of, 254–255
in keratoconus, 416
and soft lens use, 378
Flexible lenses. *See* Soft lenses
Fluorescein test
angle of observation in, 291
in astigmatism, 393–395
concentration of solution in, 290
correct pattern in, 364–365
directed light in, 289
for epithelial fragility, 295
false patterns in, 365–367

filament projection lamp in, 288
focalized light in, 289
in followup studies, 463
for lacrimal secretion studies, 284, 286–292
light sources for, 286–288
mercury arc lamps in, 287–288
observation with naked eye, 288
in photokeratometry, 267–268
thickness estimations in, 291–292
after trial of lens, 346, 347, 360, 361–369
wavelengths in, 286, 290
Folliculosis, conjunctival, 337, 495
and epithelial fragility, 296
Followup of patients, 461–466
binocular vision checkup, 466
biomicroscopy in, 464
esthesiometry in, 465–466
fluoroscopic examination in, 463
history-taking in, 462
instructions to patient, 466
keratometry in, 464–465
refraction in, 463
Foreign bodies, 462–463. *See also* Dust particles, effects of
ulcerations from, 484–485
Fragility, epithelial. *See* Epithelial fragility
Friction points, conjunctival, 347
Fungi, allergy to, 293, 341, 489
Fungus infections, from soft lenses, 382–383, 387

Geltakt lenses. *See* Soft lenses
Genatropine, use of, 494
Geometric problems, 316–330
alignment of lens and corneal profile, 323
aspherical lens, 329
with astigmatism, 390–393
bicurve lens, 326–327
in childhood, 436–437
conoid lens, 329
continuous curve lens, 328
distribution of pressure points, 325–326
monocurve lens, 326
multicurve lens, 327–328
and real morphology of cornea, 318–323
spherical cornea, 316–318
toric cornea, 318
toric lens, 329–330
Geometry
of cornea, 316–323
of lens, 323–330
Gerhard, J. P., 483, 487
Germany, history of contact lenses in, 234, 235
Girard, L., 342, 390, 400, 438
Glass lenses
blown, 234, 235
development of, 234–237
ground, 233, 234, 235–236
molded, 236–237
Glaucoma, lenses in, 337
Glucose, corneal consumption of, 303
Goldman perimeter, 243, 342
Guilbert topographic ophthalmometer, 348, 478
Gyorffy, I., 238, 483, 486

Halberg, G. P., 286
Handling of lenses. *See* Manipulations of lenses
Helmholtz, studies of, 348, 413, 415, 445
Heterophoria, orthoptic exercises in, 338, 344
Histaminemia, and allergy to contact lens, 293
Histaminopexy, and allergy to contact lens, 293
History of contact lenses, 231–239
early history, 232–234
glass lens development, 234–237
plastic lens development, 237–239
History-taking, 339–341
in followup examination, 462–463

Horizontal meridian, true values of, 350
Hygiene, importance of, 338, 379, 382, 387, 459–460, 492, 493
Hyperbola, equation for, 321
Hyperesthesia, 343
Hypermetropia
  accommodation effect in, 310
  refractive power for, 308
Hypersecretion, lacrimal, 462, 463, 494
  soft lenses in, 372, 380
Hypertonia, ocular, 337, 372
Hypoesthesia, 278, 337, 343
  in aphakia, 409
  and foreign bodies, 485
Hyposecretion, lacrimal, 284, 285, 296, 337, 495
  in aphakia, 409
  in childhood, 437

Indications for lenses, 331–336
  for soft lenses, 371–372, 387
Infection
  as contraindication for lenses, 336
  ulceration from, 486
Insertion of lenses, 457–458
Instruction to patient
  in followup studies, 466
  for soft lenses, 379–381
Iridocyclitis, as contraindication for lenses, 336
Iris color, changes in, 336

Jack-in-the-box phenomenon, 407
Javal, images on, 413

Keir, studies of, 447
Keratinization, 285
  absence of, 299
Keratitis, as contraindication for lenses, 336
Keratoconus, 334
  choice of lens for, 419–423
  ducksbill shape, 416
  fitting of patient, 412–424
  Javal in, 413
  keratometry in, 256
  molding in, 268, 423
  and operation reactions, 423–424
  ophthalmometry in, specific, 413–415
  photokeratometry in, 415–418, 419–421
  Placido's disk in, 413
  plateau, 416
  scleral lens in, 419, 424
  soft lens in, 423
  trial lenses in, 421–423
Keratometry, 342–343
  in astigmatism, 247, 249, 250
  for changes in corneal contour, 256
  characteristic points in, 245
  and construction of theoretical lens, 255–256
  doubling system in, 248–249
  flattening coefficient in, 254–255
  followup studies with, 464–465
  in keratoconus, 256
  measuring zones of, 246–248
  methodology of, 248–256
  optical path in, 245–246
  reflection points in, 246
  scaling of instruments for, 247
  specific keratometer in, 250–254
  topogometer in, 249–250
Ketting, studies of, 295
Kromopan, use of, 269, 437

Lacrimal film. *See* Precorneal film
Lacrimal secretions, 280–286, 306
  biomicroscopy of, 344
  chemistry of, 282
  in childhood, 437
  circulation of, 324–325
  cytobacteriology of, 283
  cytological examination of, 285–286
  and epithelial fragility, 296

estimating thickness of fluid, 291–292
fatty, 495
hypersecretion, 462, 463, 494
soft lenses in, 372, 380
hyposecretion, 284, 285, 296, 337, 495
in aphakia, 409
in childhood, 437
immunology of, 283
interstitial tear film, 310
in keratinization, 285
meniscus formed by, 311–312
minerals in, 283
Nover and Jaeger test of, 281
physics of, 282
problems of, 494–495
qualitative study, 284
quantitative study, 281–283
Schirmer test of, 281, 284, 296
and soft lens use, 372, 377, 380
Layers
of cornea, 299–301
of precorneal film, 301
Lens, geometry of, 323–330
Lensometer, use of, 444, 447
Lesser, studies of, 423
Lids, pathology of, 306
Limbus, sclerocorneal, 305, 344
Liotet, S., 292, 383, 486, 488, 493
Lipidic layer of precorneal film, 301
Logarithmic curve, equation for, 322

Magnification, 308
in spectacles for aphakia, 406
Maintenance of lens, 409, 459–460, 493
for soft lens, 380, 387
solutions for storage of, 380, 381, 409, 460, 490, 492
Mandell, R. B., 244, 393, 402, 423, 433, 434, 455
Manipulations of lenses
in aphakia, 409
in childhood, 436
handling instructions for, 457–459
insertion, 457–458
recentering, 459
removal, 458
of soft lenses, 380, 387
Manufacture of lenses, 466–477
of annular bifocal lenses, 475–476
concave surface, 471–473
convex anterior surface, 473–474
cutting, 468
fabrication processes, 470–476
materials in, 467
molding, 268–275, 468
polishing, 468–469, 475
preformed molds, 476
for soft lenses, 383–386
toric lenses, 475–476
Marriott, P., 270
Massin, studies of, 294, 478, 483, 487
Material for lenses, 467
Maurice, studies of, 299, 302
Measurements. *See* Examination methods
Medical contraindications for lenses, 336–338, 344
Medical indications for lenses, 331–335
Medications, ulcerations from, 485
Meniscus, formed by lacrimal fluid, 311–312
Menstrual cycle, corneal changes in, 341, 480
Mesothelium of cornea, 301
Methyl methacrylate for lenses, 467
absorption by, 490
allergy to. *See* Allergic complications
toxicity of, 489–491
Microelectrophoresis of tears, 286
Microscopic contact lenses, in amblyopia, 435
Mobility of lens, 313–315
of soft lenses, 377
Modification of lenses, 476–477

Modification of lenses—*Continued*
of soft lenses, 386
Moiré pattern, in photokeratometry, 263–267
Molding of lenses, 268–275, 468
in childhood, 437
finishing of lens in, 274–275
in keratoconus, 423
materials for, 268–270
negative mold in, 272
scleral shell in, 272–274
taking of impressions for, 268–271
technique of, 270–271
Molds, preformed, use of, 476
Monocurve lens, 238, 326
Morphology of cornea
in keratoconus, 412–418
real, 318–323
Morris, studies of, 244
Motivations of patients, 336, 338, 339
Mucoid layer of precorneal film, 301
Multicurve lens, 327–328, 355
Multifocal lenses, in presbyopia, 426–427
Mur, J., 432
Mycosis, from soft lenses, 382–383, 387
Myopia, 331–332
accommodation effect in, 310
contact lenses affecting development of, 439–440
magnification in, 308
refractive power for, 308

Negocoll, use of, 237
Neovascularization, 304, 487
Newton rings, 448–453
Nissel, studies of, 385
Nover and Jaeger test, 281
Novesine, use of, 344, 345, 494
Nystagmus, lenses for, 335

Occlusion, palpebral, corneal edema from, 302
Occupation, effects of, 338, 339, 372
Oculomotor equilibrium, 344–345
with soft lenses, 377
Offret, G., 437, 438
Olivier, H. R., 292, 341, 488
Ophthalmological examination, 341–345
Ophthalmometry
in childhood, 436
in keratoconus, 413–415
for radii of curvature, 445
for soft lenses, 376
topographic. *See* Topographic ophthalmometry
Ophthalmoscopy, 343
Optical indications for contact lenses, 331–335
Optical path
in keratometer, 245–246
in photokeratometer, 261
Optical problems in fitting, 307–316
accommodation, 310
in aniseikonia, 309
in astigmatism, 309, 311, 401–404
centering of lens, 313–315
changes in radius, 311–312
and interstitial tear film, 310
magnification, 308
refractive power, 307–308, 310
residual astigmatism, 315–316
thickness of lens, 313
visual field, 309
Orthoptic therapy
in aphakia, 412
in childhood, 439
in heterophoria, 338, 344
Overcorrection
in aphakia, 412
in presbyopia, 424, 425
Oxygen supply of cornea, 303. *See also* Anoxia, corneal edema from

Palpebral occlusion, corneal edema from, 302
Parabola, equation for, 321

Parabolic lens, 329
Parameters of lenses, 240–241
  of soft lenses, 241, 373–375
Parrot, J. L., 293
Partial lenses, in presbyopia, 430–431
Paufique, studies of, 424, 486
Payrau, P., 486
Perimeter, Goldman, 243, 342
Peripheral curves, radii of, 353
Photokeratometer, 342
Photokeratometry, 256–268, 342
  accessories used in, 263–268
  anterior segment photograph, 267
  in aphakia, 411
  in astigmatism, 398–400
  in childhood, 437
  coaxial radii in, 262–263
  fluorescein pattern photograph, 267–268
  followup studies, 464
  instrument for, 257–260
  in keratoconus, 415–418, 419–421
  measurements in, 261–263
  moiré pattern in, 263–267
  optical path in, 261
  restorer for, 260
  for theoretical lens, 353–361
Photophobia, 462
Physiology of cornea, 302–303
Physiopathology of cornea, 303–305
Placido's disc, images of, 413
Plastic lenses
  allergy to. *See* Allergic complications
  development of, 237–239
Polishing of lenses, 468–469, 475
  at edges, 477
Polyglycol methacrylate
  absorption by, 490
  tolerance for, 381–382
Poulsen, D., 408
Power, refractive, 307–308, 310
Precorneal film, 301, 310
  biomicroscopy of, 280–281
  in edema of cornea, 302
  examination of, 344
  followup studies, 464
  layers of, 301
  physiology of, 302
Pregnancy, problems in, 338, 341, 480, 491
Preliminary examination, 339–347
Presbyopia, 334
  bifocal lens in, 425–426
    with additional lens, 430
    annular, 426–427
    with segment, 427–430
  fitting of patient, 424–431
  multifocal lenses in, 426–427
  overcorrection in, 424, 425
  partial lenses in, 430–431
  scleral lens in, 431
  stenopeic pinhole in, 426
Pressure points, distribution of, 325–326
Prijot, E., 486
Prismatic lenses
  in astigmatism, 404
  truncated, 315, 316
Prister, studies of, 236, 237
Profession of patient, importance of, 338, 339, 372
Prophylactic measures, 491–492
Psychological factors, consideration of, 336, 338–339, 340–341, 491
  in childhood, 436
Psychotherapy, 493–494
Pterygium, traumatic, 487

Quality control of lenses, 441–456
  diameters, 441
  edges, 454–456
  Newton rings, 448–453
  radii of curvature, 445–453
  refractive power, 444
  sagittal depth measurement, 451–453
  thickness, 444

Radii
coaxial
manufacture of lenses with, 476
measurements of, 322, 353
in photokeratometry, 262–263. *See also* Photokeratometry
of curvature
changes in, 311–312
and dioptric powers, 502–503
manufacture of lenses, 476
measurement of, 246–247, 322, 445–453
and lens thickness, 313
of peripheral curves, 353
and refractive powers, 377–378
Radiuscope, use of, 446–447
Rapilly, studies of, 478, 488
Recentering of lens, 459
Refraction, 310–311
determination of, 341–342
followup studies, 463
for soft lenses, 376–379
Refractive power, 307–308, 310
measuring of, 444
and radii curvature, 502–503
Removal of lens, 458
Retinal detachment, 337
Ridley, F., 490
Romani, studies of, 381
Rose bengal, studies with, 347, 464
Routit and Guilbert ophthalmometer, 348, 478
Rupture of anterior epithelium, corneal edema from, 302

Sagittal depth chart, 322, 330
Amiard chart, 411, 453, 474, 500–501
in astigmatism, 399
Creighton tables, 452, 472
in keratoconus, 420
measurement of depth, 451–453
for toric curves, 359, 399
Sarver, studies of, 447
Sattler's veil, 380, 461, 480
Scarring of cornea, 304–305, 486–487
Schedule for wearing of lenses. *See* Wearing schedule
Schirmer test, 281, 284, 296, 344
Scleral lens
allergy to materials in, 489
in amblyopia, 335
in aphakia, 409, 410
in astigmatism, 404, 405
in childhood, 436, 439
in keratoconus, 419, 424
loss of transparency from, 304
in presbyopia, 431
Sclerocorneal limbus, 305, 344
Sedan, sensitivity dip of, 277, 343
Selection of patients for lenses, 331–339
for soft lenses, 371–372
Sensitivity of cornea, measuring of, 275–279, 343. *See also* Esthesiometry
Septonex, effects of, 380, 381, 490
Shape of cornea, changes in, under lens, 304, 313, 325, 465, 478
Skiascopy
in astigmatism, 403
in childhood, 436
Soft lenses, 232, 239, 369–387
biomicroscopic examination, 377–379
in childhood, 436, 439
complications with, 381–383
contraindications to, 372–373
fitting of, 376–379, 387
hygienic precautions with, 379
indications for, 371–372, 387
instructions for patient, 379–381
in keratoconus, 423
maintenance and manipulation of, 380, 387
manufacturing methods, 383–386
modifications of, 386
ophthalmometric examination, 376
parameters of, 373–375

wearing schedule for, 380–381, 461
Solutions for storage of lenses, 409, 460, 490, 492
for soft lenses, 380, 381
Special patients, fitting of, 389–440
Spectacle lenses
in aphakia, 406
and contact lenses, 307–308
in amblyopia, 432–434
corresponding power of contact lens, 504–505
telescopic, in amblyopia, 431
Spectrophotogrammetry. *See* Photokeratometry
Spherical cornea, 316–318
and astigmatism, 400–401
Spherical lenses, in astigmatism, 392
Sphericity, measurements of, 447–448
Spheroid curve, equation for, 321
Spherotoric lenses, in astigmatism, 316, 393, 395–396, 404
Sports, lenses used in, 336, 340, 372
Stenopeic pinhole, in presbyopia, 426
Stereomicroscopy, use of, 441, 454, 456
Stone report, 486
Stroma of cornea, 300
mechanical disarrangement of, 303–304
Struplova, V., 423
Surgery, and use of lens, 410, 424
Symmetrization chart, 415–416

Tears, studies of. *See* Lacrimal secretions
Telescopic spectacles, in amblyopia, 431
Tensiscope, use of, 454
Theoretical lens
in astigmatism, 398–400
establishing dimensions of, 347–353
in keratoconus, 419
from photokeratometry, 353–361
from topographical survey, 348–353
Thickness of lens, 313, 444
Tolometer, invention of, 236
Topogometer, 249–250, 342
in astigmatism, 390–391
Topographic ophthalmometry
in childhood, 436
followup studies, 464
for radii of curvature, 445–446
theoretical lens from, 348–353
Topography of cornea, 244–268, 342
changes from lenses, 304, 313, 325, 465, 478
in keratoconus, 413–415
Toposcope, use of, 264, 441, 447–448, 454
Toric cornea, 318
Toric lens, 329–330
in astigmatism, 396–398, 404
manufacture of, 475–476
sagittal depth chart for, 359
Toxicity of plastic materials, 489–491, 492
Tranquilizers, use of, 494
Transparency, factors affecting, 297
Traumatic pterygium, 487
Trial of lens, 345–347
in aphakia, 412
in astigmatism, 392
control visits with, 369
empirical method, 361, 368–369
first test, 363
fluorescein pattern in, 346, 347, 361–369
in keratoconus, 421–423
preliminary trials, 367–369
sets available for, 362–363
theoretical lens method, 361, 367–368
Truncated prismatic lens, 315, 316
Tyndall phenomenon, 382, 486

Ulcerations, 304–305, 481–487
  cause of, 484–485
  delayed, 482–483
  frequency of, 483
  hyperalgesic, 482
  prophylactic measures, 492
  recurring, 483
  types of, 482–483

Vascularization of cornea, 304, 344, 487
Vincent, R., 377–379
Vision checkup, binocular, 466
Visual field, 309
  in aphakia, 407
Vitamin deficiencies, 285, 304
Vitamin therapy, 495, 496
  in epithelial fragility, 346
Von Rohr, studies of, 234, 431

Water sports, lenses used in, 336, 340, 372
Wearing schedule for lenses, 460–461
  irregularities in, 484, 492
  for soft lens, 380–381
Wichterle, O., 239, 369, 370, 383, 385, 387
Wolff, studies of, 301
Wolfrumm, studies of, 294
Wood glass, use of, 287

Zeiss tensiscope, 454



Index

Abscesses, 634. *See also* Dacrocystitis acuta
Absorption coefficients, 812, 813
Absorption of tissue, varying with frequency, 540
Acceleration, particle, 797
Acoustic energy, arcs of absorption at chorioretinal interface, 717
Acoustic examination. *See* Ultrasonic diagnosis, value of
Acoustic tissue differentiation, 633, 634, 638
Acoustic tumor. *See* Tumors, acoustic properties
Adhesion, chorioretinal, 719
Adiabatic (term), 757
Air bubbles as temporary tamponade in vitreous cavity, 735
American Institute of Ultrasonics in Medicine, 598
Ametropia, unilateral, 631
A-mode
  accurate frequency measurement, 763
  as base for routine ultrasonography, 613
  in biometry, 667
  for detection of orbital pathology, 631
  diagnosis of intraocular diseases, 543–571, 746–747
  early work in, vii
  in echo sounding, 824
  equipment, 544
  examination, 596–597, 618–625
  in foreign body management, 695
  localizing foreign bodies, 567, 753
  in measurement of axial dimensions, 669–676
  measurement techniques, 672–676
  methods of, 549–551
  supplemented by B-mode, 595
  terminal spikes, 631, 632
  ultrasonograms, 615–617
A-mode display, manual scan, 826
A-mode presentation, 819, 820–821
Amplifier dynamic range, 640
Amplifier, linear, 774
Amplitude of echo, factors determining, 540
Anatomical conditions in orbit, 614–615
Angle kappa, 634
Apex lines, 628
Aphakic eyes, ultrasonic examination, 558
Artifacts, orbital, 589-594
Asteroid hyalitis, 565, 581
Axial echogram, 551–553
Axial measurements, 676–677
  importance, 583
  length, to correct x-ray localization, 700–702
  ultrasonic global measurement, 575

Barium titanate
  crystals in transducer, 727
  impedance values, 807, 808
Beam axis, 771
Beam, ultrasonic
  from commercial diagnostic transducer, 805
  narrow, 536

Beam, ultrasonic — *Continued*
propagation pattern, 525, 526
and schlieren technique, 687
technique for visualizing, 731–734
typical diameter of, 530
Beam width, 538, 548, 770, 771
and lateral resolution, 536–537
Beckman digital counting control, 765
Biological effects and toxicity of ultrasound, 816–818
Biological systems, altering by ultrasonic technology, 709–710
Biometry, ophthalmic, using ultrasound, 545, 550, 667–682, 751–752
Blood
citrated, as standard, 575
as tumor model, 623, 749, 750
coagulated subretinal, echoes of, 561
uncoagulated subretinal, echoes of, 561
Blood clot, ultrasonically liquefied, 722
B-mode, 585–609
apparatus, proper adjustment of, 781
in biometry, 667–668
development of, vii
echo intensity, 780
echograms, quality of, and scanning technique, 778
in echo sounding, 824
equipment, 748, 750
additional calibrations for, 778–786
gynecological application, 784
examination technique, 625–630
time required vs. A-mode, 630
importance of beam width, 827
measurement, 677–679
more meaningful pattern of, 749
in orbital diagnosis, 747–748
orbital ultrasonography, 643–664, 750–751
case reports, 651–664
patterns, interpretation of, 748
terminal lines, 631, 632
ultrasonograms, 617–618
B-mode display, 826
B-mode presentation, 820
Bone defects of orbital wall, 632
Brow marker
in orbital survey, 602
use in scanning, 596

Calculations, 790–792
Calibration(s)
advantage of, 761–762
reproducible, 756–757, 761–792
Calorimeter, 730–731
schematic diagram of, 732
Carcinoma, 658
sonogram, 659
Cataract(s)
causing distortions of orbital fat pattern, 593
echo of, 570
echogram, 571
removal, physics of ultrasound in, 739–743, 755–756
Cataracta matura, 570
Cataracta prematura, 570
Cataractous eye, and ultrasound diagnosis, 558
Cathode-ray tube, 819
storage, 748, 780
Cavitation, 548
defined, 755, 816
Ceramic titanates as crystals, 756. *See also* Barium titanate
Chemical effect, 548
Children, differential diagnosis, 562
Chondroma, 587
Chorioretinal lesions. *See under* Lesions
Choroidal detachment
caused by fluid, low echoes in, 558
echogram, 554, 556
Coats's disease, echoes of, 562
Cone pattern, theoretical, 526
Contact coupling, 546, 549–550, 780
Cornea, curvature, B-mode ultrasonogram, 680

Corneal thickness determination, 821, 824
Coupling agents, 712
  in contact method, 549
  degassed water as, 726
Coupling tank, 595
Cross-sectional mode. *See* B-mode
Curie point, 756
Cyst(s)
  bilobulated, 659
  dermoid, 571
  distinguished from tumors, 632
  orbital, ultrasonogram, 600
  random distribution, 650
  retrobulbar, sonogram, 661
  sonogram, 660
Cystic lesions, different from solid homogeneous, 661
"Cystic" spaces, sonogram, 662

Dacryocystitis acuta, 570–571
Dead zone, 774
Decibel, defined, 750
Decibel scale, test of, 769
Deformability upon pressure, 634
Density difference, ultrasound vs. x-ray, 585
Density of power, 799
Dental mirror used as brow marker, 602
Depth measurement
  measuring device type 107, 765
  two-filament device type 210, 764
Detached choroid. *See* Choroidal detachment
Detached retina. *See* Retinal detachments
Diabetic exophthalmos, 663
Diascleral echogram, 553
Diascleral method, 549
Diagnoses, ultrasonographic, 637
Diagnostic accuracy, 761, 762, 765
Diagnostic criteria of orbital disease, 598–600
Diagnostic situations, special, 606–608
Diameter
  beam, 771
  of crystal, 762–763
Diathermy, effect on ocular tissue, 720
Digital printout systems and electronic interval counter, 675
Dimensions, optimum, method of choosing, 533–536
Distance
  and echo from flat target, 531, 532
  tissue-transducer, and reduplication artifacts, 590
Distance measuring apparatus, oil, 546
Distance P, 524, 532
Distance S, 532
Divergence angle θ, 525, 526
  as function of diameter and frequency, 526
Dosimetry, quantitative, 730–734

Echo(es)
  amplitude, 781
  excess orbital, 598, 599
  from flat target, 530–533
  "grass," 770
  in locating foreign body, 696
  from intrascleral foreign body, 689
  localization, 781
  multiple, solid or semisolid layer, 814
  orbital fat, absence of, 598, 599
  revealing flaw, 819
  from steel foreign body, 687
  of tumors, 558, 559, 560
  typical, 820
  from unsuspected foreign body, 691
Echo display, modes of, 819–820
Echogram(s)
  distortion, 781
  gynecological B-mode instruments, 784
  normal, 551–553
  pathological, 554–571
  test device for quality, 782, 783
Echography, 550–551
  kinetic, 551
    and tumors, 560

Echography — *Continued*
quantitative, 551
topographic, 551
Echo lines, abnormal, 618
Echo pattern, curved, 643. *See also* Sonograms
Echo sounding, two main variations of, 824
Echotomography, diagrammatic representation of, 629
Echo wave form from flat glass plates target, 537, 538
Electromagnet in foreign body management, 703
Electronic interval counter
formulas, 676
time measurements, 674–676
Endoscope, Thorpe-Bronson, 752
Energy
distribution within beam, 526–530
propagation of, cylindrical, 524
from ultrasonic transducer, 523–526
velocity, 524, 537
Energy density (term), 758
sonic, 799
Energy levels, ultrasonic, quantitative measurement of, 734
Enucleations, prevented by ultrasonics, 563
Epoxy resin, 535, 536
Equipment
alignment, in B-mode technique, 629–630
for orbital examination, 623–625
calibrated, clinical benefits of, 775
for diagnosis of orbital ultrasonograms, 601
research, 544–549
Examination
method of, 646–647
simultaneous, of serial ultrasonograms, 602
ultrasonographic, of orbit, 594–598
ultrasonic, 574–575
Exophthalmic eye, loss of echo in, 599
Exophthalmos
with acute sinus disease, 650
endocrine, 606, 631, 649, 663, 664, 751
sonogram, 664
monocular, 648, 650, 662
right, 663
unilateral, 585, 586, 598, 637
Expansion
horizontal, 623
vertical, 623
Extractor, ultrasound, for foreign bodies, 569–570
Extraocular muscles, 588
changes in tone of, 646
infiltrative enlargement of, 664
Eye
badly damaged, echoes from, 697
left, prominent, 651
schematic, in ultrasonic measurements, 677
Eyelid(s)
diseases of, 570–571
examination through, 549
foreign bodies in, 567
sound attenuation, 630
Eye tissue
interaction with sound, 818
tolerance of high intensities, 817
Eye wall
foreign bodies in, 567, 568
posterior, 545

Fat
orbital, 604
as dynamic structure, 609
in initial survey, 602–603
scan for tissue diagnosis, 750–751
textural change in, 600, 601
ultrasonographic anatomy, 587, 588
retrobulbar, echoes, 645
Field
far, 527, 533, 546
angle of beam divergence, 791
sonic beam, 804
near, 527, 528, 530, 533, 546
calculation of length, 791

interference fringes, 804
Filament distance, 773
Film strips in orbital survey, 602
Filtering, 640
Firestone, F. A., 818
Fluid coupling, 646, 647. *See also* Coupling agents
Fluid, homogeneous, absence of echoes, 574
subretinal, 576
Fluid medium in measuring sensitivity, 766
Fluids, viscous, 766
Fluorescein angiography, 563, 581, 582
Focusing, use of, 534–536
Forceps
echo from, 704
and small transducer, 703
ultrasonically guided, 703
Foreign body(ies)
acoustic properties, 566–567
axial measurement of globe, 747
clinical significance, 569–570
damage associated with, 694–700
differential diagnosis, 569
echograms, 567–569
extraocular, 690
intraocular, 579
B-mode examination, 748
echogram, 557–558
massive, 698, 699
intravitreal, 579
localization, 686–694
management, 685–706, 752–754
measurement, 680–681
nonmagnetic, management, 705–706
intraocular, extraction of, 703–706
position, measured by B-mode, 668
roentgen negative, 569
roentgen positive, 569
in sclera, 570
shifting during surgery, 691, 692, 694
ultrasonic interpretation, 578–580
Foreign body tract, echo from, 698
Frequency(ies), 739, 763–765
and biological effect, 548–549
calculation of, 790–791
importance of checking, 778
in orbital examinations, 639–640
range in medical therapy, 710
Frequency spectrum, clinical importance, 764

Gamma orbitography after Planiol, 639
Gas medium, transmission ratio, 807
Gas, velocity of sound in, 794, 795
Generator
low frequency ultrasonic, operational output, 741
for phacoemulsification, 740
low power ultrasound, 800
variable frequency, 727, 728
Geometry, transducer, optimum, 533–536
Glass plate
flat, in measurement of echo wave form, 537
in standardization device, 576
Glaucoma absolutum and ultrasonic examination, 563
Glioma sonogram, 657
Gynecological ultrasonography, 782

Headrest, slit lamp, 646, 647
Heat effect, 548
Hemangioma
cavernous, 633, 654, 655
sonogram, 653, 654
of orbit, 586
ultrasonogram of, 599
Hematomas, localization of, 634
Histological conditions in orbit, 614–615
Homogeneity, acoustic, 575
Hooke's limit of elasticity, 816
Howry, Douglass, 709
Huygens' principle of wave diffraction, 803, 808, 809
Hyaluronic acid sulfate, 725
Hyperemia, choroidal, 718

Hyperopia, high, 701
Hyphema, with increase in intraocular pressure, 723

Immersion coupling, 546, 550. *See also* Coupling agents
  required in B-mode technique, 625
Impedance
  acoustic, 543, 545, 573, 800
    for diagnostic use, 787
    of foreign bodies, 580
Impedance matching, 807
  mismatch, 540
Impulse, shape and duration of, 548
Inclination
  amplitude of echo from flat target, 530, 531, 532, 533, 538
  increase in duration, 539
Inclination angle kappa of ultrasonogram, 617
Inflammatory orbital processes, 634
Instrumentation
  A-mode and B-mode combined, 748
  B-mode, vs. A-mode, 825
  need for, 710
  required for quantitative dosimetry, 730–734
Instruments, effects of differing operational characteristics, 605–606
Intensity
  decay in, 811, 812–813
  levels used in diagnostics, 817
  sonic, relation to sonic pressure, 800
  vs. time in cataract production, 817
  of transmitted ultrasound pulse, 769
  of ultrasonic radiation, 799
Intensity distribution
  axial, 528, 529
  from continuously energized transducer, 527–528
  lateral, 529
    fluctuations in the near field, 528
Interface(s)
  fatty tissue, 820
  natural, of eyeball, 820
  vacuum, 808
  water-air, 768
  water-glass, 768
Interferometer, 674
Intraocular diseases, diagnosis of, 543–571

Jusélius, Sigrid, Foundation, 543

Kinetic ultrasonography, 621, 622, 631
Kretztechnik apparatus, 544, 545, 546, 547
  4100 MGS B-mode, 784
  7001, 768
  7100 MA, quartz controlled distance calibration, 763
  7200 MA, 621, 626, 640
  7200 series, 749
  special transducers, 787

Lacrimal sac, diseases of, 570, 571
Laser photocoagulation, 720
Lateral rectus muscle, infiltrative enlargement of, 664
Lens
  anterior curvature, formulas for computing, 678
  attenuation of ultrasound, 555
  capsule echoes, 576
  crystalline, susceptibility to ultrasonic damage, 818
  curvature, B-mode ultrasonogram, 680
  danger of localization error, 702
  diseases of, 570
  dislocated, 576, 577
  epoxy resin, 535
  for reducing beam diameter, 534
  reverberations, 695
  subluxated, 576
  thickness, measurement of, 674
Lesions
  acoustic qualities, 583
  chorioretinal, analysis of histopathological results, 715

9 days after application, 718
21 days after application, 719
final appearance of, 714
first work in, 734
fresh, made by titanium tip, 716
initial appearance, 714
preclinical animal investigation, 714–720
produced by ultrasound, 710, 711–721
stroke variations vs. collar settings, 713
encapsulated, 632
infiltrating, 649
mass, classification of, 649
retrobulbar, 663
sonogram, 652
orbital, consistency, 632
differentiation, 632–633
localization, 631–632
size, 631
surface condition, 632
verification or ruling out, 630–631
within muscle cone, 657, 660
Leukokoria in children, 582, 747
Lid. *See* Eyelid
Lid closure artifact, partial, 593
Linearity, 774–775
Liquid, velocity of sound in, 794
Liver tissue test, 774
Localization
Sweet's, 747, 753
by ultrasound, 686
accuracy of, 567
x-ray vs. ultrasonogram, 690
Loomis, A. L., 709
Lymphangioma, 655
sonogram, 656

Magnetic characteristics, determination of, 702–703
Magnetorestrictive core, 756. *See also* Transducer, ultrasonic, magnetorestrictive
Magnification setting, 629
Mannitol, preoperative use of, 705
Mathematics in ultrasonic diagnosis, 757
Measurement, ultrasonic, techniques for, 667–668. *See also* Biometry
A- and B-mode presentations, 762–775
Mechanical effect, 548
Medium
absorption coefficient, 812
liquid, equation, 813
Megahertz (MHz), 544
Melanoblastoma, flat intraocular, 779
Melanoma
choroidal, echogram, 560–561
patterns, 749
Melanosarcoma of choroid, 721
Meningiomas
acoustic patterns of, 634
invasion of bone, 586
Microscope, slit lamp, 685
Milliwatts of energy, 755
M-mode, ultrasound, 679–680
in biometry, 668
ultrasonogram, 681
Motion, vibrational, 793
Muscle cone, lesion in, 657, 660
Myopia, high, 701

Neoplasm, and choroidal detachment, 558
Neurilemoma, 652, 656
Nonmagnetic objects, extraction of, 685

Ocular tissue, velocity of propagation in, 524
Operations, intraocular, complications of choroidal detachment, 556
Ophthalmoscope, 685
Zeiss, 788, 789
Optic nerve
in B-mode ultrasonogram, 620
glioma, 656, 657
sonogram, 658

within ultrasonic retrobulbar pattern, 645
Optic nerve space
in orbital survey, 603-604
position of, 588, 601
Orbit(s)
compound scanning, 604–605
location of foreign body, 690
routine ultrasonography, 748–750
traumatic changes, 635
ultrasonic cross section, 645
variations in appearance, 605–606
Orbital cases, annual number, 635
Orbital diagnosis, ultrasonics in, 585–609
Orbital fat pattern, 597
anomalies in, 598–600
Orbital survey, initial, 602–603
Orbital tissue, 614
abnormal, 615
acoustic properties of, 615
deformability of, 621, 622
normal, 614–615
Orbital ultrasonography, routine, 613
Organization, dense, in front of foreign body, 700
Oscillations
longitudinal, in fluids, 794
periodic, mathematical representation, 795–796
in solids, 794
transverse, 794
Oscillator, Hewlett-Packard, 727
Oscilloscope
cathode-ray, specifications, 822
storage, in B-mode measurement, 678
Osteoma, 587
Oval-shaped abnormality, sonogram, 653
mass lesion, 654

^{32}P, 581
Paraffin oil
penetrated, distance measurements, 576
standardized, for measuring penetration depth, 766, 767
Pathological conditions and small transducers, 546
Perpendicular examination, echoes in, 553
Phacoemulsification and aspiration, system for, 742
Phacometric measurements, compared to ultrasonic, 669
Phantom models for pathological conditions, 547, 749
Phleboliths in hemangiomas, 586
Phon (term), 750
Phosphorus, radioactive, 563
Photographs, measurements made from time reference scale, 673
Piezoelectric crystals, 801
Piezoelectric plate, transducer as, 802
Piezoelectricity, defined, 801
Pigment migration in production of chorioretinal lesion, 716
Plate, parallel-faced, as transparent medium, 815
Point source, oscillating, 802
Posterior segment
diagnosis, 576–583
examination of, 575
Potentiometers, accuracy of, 781
Presentation, r.f., 819
See also under A-mode; B-mode
Probe, ultrasonic, for emulsification and aspiration of cataracts, 739
Propagation medium in molecular equilibrium, 798
Propagation. *See under* Energy; *See also* Waves, sonic, propagation of
Proptosis
unilateral, abnormal echo patterns in, 608
of right eye, 654
Pseudoglioma, 583
Pseudotumor(s), 607–608, 651
acoustic properties, 558–559

defined, 632
echograms, 559–562
granulomatous, 650, 662
inflammatory, 650, 663
small-cell. *See* Pseudotumor, inflammatory
Pulse-echo techniques of ultrasonic diagnosis, 818
in ocular length measurements, 820–824
Pulses, diagnostic energizing, 528–529

Quartz as piezoelectric crystal, 801

Radar and sonar and pulse-echo principle, 818
Radarlike techniques in ultrasound, 709
Radiation pressure balance, 730
schematic diagram, 731
Rayl, 800
Reduction setting, 629
Reduplication artifacts, 590–591
Reflection phenomenon, 806
multiple, 814
Refraction of sound, 804
angle, equaling angle of incidence, 806
index, 805
Reject control, 770
Resolution
depth, 548, 771–774
measurement, 537–539, 773–774
good, importance of, 545
lateral, 536–537, 770-771, 826
comparison, 771
and diameter of transducer, 547
measurement, 772–773
device type, 210, 772
Resolving power, defined, 824
Retina, beam diameter for, 534
Retinal detachments, 576, 578
echogram, 554, 555
idiopathic vs. tumor, differential diagnosis, 557
retrodisplacement of, 725–730
surgery, ultrasound in, 709–736, 754–755
total funnel-shaped, ultrasonic patterns, 577
Retinitis proliferans, 566
echogram of, 564, 565
Retinoblastoma, 583, 721
echogram of, 561
Retinoschisis, 576–577
Retrobulbar disease evaluated by B-mode, 643
Retrobulbar pattern, 643
abnormal, 648–650
diagrammatic classification, 649
Retrolental fibroplasia, 566
Roentgenographic localization vs. topographic echography, 551. *See also* Localization

Safety of ultrasound diagnosis, 548–549
Saline as coupling agent, 647
Sarcoidosis, orbital, 650
Sarcomas differentiated from pseudotumors, 634
Scan
arc, 780, 825
linear, 825
sector, 825
Scan modes. *See* Scanning, methods of
Scanned intensity in biometery, 667
Scanners, hand-moved compound, 780
Hoffret linear, 784
Scanning, 595
arc, 626
compound (linear and arc), 627, 780, 781
contact, 533, 534
optimum dimension, 534
determining direction of, 628–629
immersion, 533, 534
linear, 626
manual, 628
methods of, 824–827
four basic, 826

Scar, chorioretinal, 718
Scheme of typical echogram variations (STEV), 775, 798
Sclera, diseases of, 570
Scleral wall, foreign body in, 688, 689
Schlieren apparatus, 731–734
  schematic diagram of, 733
Schlieren system, 687, 726, 727, 805, 810
Sensitivity, 765–770
  checking for B-mode display and storage, 781
  control, 692
  in differential tissue diagnosis, 640
  importance in ophthalmological transducers, 786
  levels, 687
  measurement, 546, 766
    device type 107, 769
  and penetration depth, 777
Sensitivity setting, 630
Septum, orbital, 614
Side lobes of transducer beam, 528 810
  and identification of small echoes, 532
Siemens Vidoson apparatus, 784
Silence, acoustical, 574
Silent area, 550
  length, 548
Snell's law of refraction, 804
Solids, velocity of sound in, 794–795
Sonar, and ultrasonic techniques, 709, 818. *See also* Radar
"Sonar" diagnosis, 739
Sonic beam, 802
  cross section of, 810, 811
  parallel, 810
Sonic ray, 802
Sonograms
  of normal orbit, 643–646
Spike(s)
  bone, 617
  height, 634
  orbital, 617
  terminal, 617, 634
Standardization, 575–576, 597–598, 746–747
  of equipment, need for, 544
  lack of suitable methods, 750
  of measuring methods, 774
Standoff techniques, 575
Staphyloma, B-mode ultrasonogram, 679
Steroid therapy, 662, 663
STEV. *See* Scheme of typical echogram variations
Stress effects of ultrasonic radiation, 816
Strip film projectors, 601, 602
Suprachoroidal space, 558
Surface of flat target, smoothness, and variation of echo, 530, 531
Sweep voltage, 819
Swimmers' goggles, 646, 647
Switching box for foreign body work, 692
Synchysis scintillans, 565

Target(s)
  ball, in measuring energy distribution, 529
  biological, 539–541
  and distribution of energy, 527, 528, 529
  flat, amplitude of echoes, 540–541
  flat surface, 530–533
    and depth resolution, 537
  geometry, 541
  point, echoes from, 541
  size, and energy distribution, 540–541
TAU. *See* Examination, ultrasonic
Technology of orbital ultrasonography, 639–641
Terminal line, anterior and posterior. *See* Echo lines, abnormal
Test echo, 550
Tests of equipment, 546–548
Thermometer, Beckmann differential, 731

Time-amplitude ultrasonography. *See* A-mode
Tissue
  cutting edge, 739
  orbital. *See* Orbital tissue
  soft, 777, 778, 790
    orbital, 586
      ultrasonographic anatomy, 589
    transparent to low frequency sound, 735
  solid, intraocular, 790. *See also* Tumors, acoustic properties
    differentiated from soft tissue, 778
Tissue models. *See* Tumor model
Titanium for ultrasonic transducer tips, 712
Titanium needle for cataract emulsification, 739
Tomography
  diagonal, 628
  radial, 628
Topographic ultrosonography, 621, 631
Tract echo. *See* Foreign body tract, echo from
Transcleral approach, 720
Transducer dynamic response, defined, 538
Transducer tips
  liquefaction dimensions, 723
    evaluation, 724
  titanium, 712
Transducer, ultrasonic, 544–546, 745–746
  alignment in schlieren technique, 732
  in A-mode technique, 618–623
  application to eye, 622
  for chorioretinal lesion production, 712
  diagnostic and therapeutic, 734
  crystal diameter, 762–763
  crystal quality, 767
  curved, 534
  defined, 745, 802
  diameter, 525, 546
    and echograms, 552
  from Elkoline ultrasonoscope, 725
  energy distribution, 527
  flat, apparent focusing of, 529–530
  flat and circular, sonic beam generated by, 809
  flat-faced, plane waves from, 811
  flat-stalked, 767, 787, 788
  focused, 575
    2.5 mm., 787
  handling in B-mode technique, 626
  high frequency, 575
  importance, 523
  magnetorestrictive, 712, 726, 729, 756
  megahertz, 784
  1 MHz, 726
    connected to variable frequency generator, 727, 728
    schematic diagram, 728
  2 MHz, 784
  narrow beam, 796
  optimum weakly focused, 535–536
  piezoelectric, 726, 727. *See also* Piezoelectricity, defined
  plane, 788
  poor quality, split beam in, 773
  resolution, depth, 537–539. *See also* Resolution
    lateral, 536–537
  resolving power, importance in ultrasonic biometry, 824
  selection and application for A-mode measurement, 669–672
  sensitivity curves, 768
  special, for ultrasonography in ophthalmology, 786–790
  standoff, 574
  sterilization of, 691
  suction cup, 787, 789
  surface, and reduplication artifacts, 590
  to treat vitreous hemorrhage and hyphema, 724
  Ultrasonolux, 787, 788, 789
  for vitreous liquefaction, 722
Transillumination, 563, 581

Transmission ratio, 807
Transmittance
  changes in rate of, aluminum and lucite plate, 815
  ideal, 807
Transmitter pulse, 548
T-setting, 623, 749
Tumor(s)
  acoustic properties, 558–559
  clinical significance, 562–563
  diagnosis, importance of frequency in, 763
  differential diagnosis, 562
  displacement of fat into apical area, 648
  echoes, 648
  echograms, 559–562
  intraocular, echograms of, 776
    ultrasonic patterns, 581–583
  location by compound scan, 605
  measurement, 681–682
  occupying the superior or inferior orbital fossa, 605
  and optic nerve space, 603, 604
  orbital, B-mode examination, 747
    noncontributory ultrasonography, 631
    number detected by ultrasonography, 636
  and retinal detachment, 557
  retrobulbar, in B-mode ultrasonogram, 619
  size, measured by B-mode, 668
  solid, differentiated from pseudotumors, 632–633
  in subperiosteal space, 606–607
  tissue. *See* Tumor tissue
  ultrasonic identification, 586, 597
Tumor model, 623
  diagrammatic representation, 624
  pattern differing from standard pattern, 624, 625
Tumor-negative cases, 636
Tumor phantom as standard, 575
Tumor tissue, 622, 778
Tuxedo Park experiments, 709
Ultrasonic (term), 739
Ultrasonic diagnosis, value of, 543
Ultrasonic energy, excessive, producing retinal hemorrhage, 717
Ultrasonic orbital diagnosis, reliability of, 650
Ultrasonogram(s)
  A-mode, abnormal orbital, 617
    normal orbital, 615–617
  B-mode, abnormal orbital, 618, 619
    normal orbital, 617–618, 619, 620
  interpretation of, 587
  normal, 574
  orbital, interpretation of, 600–606
    A-mode interpretation, 608–609
Ultrasonography
  as ancillary help, 748
  orbital, clinical importance, 638–639
    indications for, 639
    results, 635–638
    value, 630–639
  scanning. *See* Scanning
Ultrasonoscopes, 606
Ultrasound
  concise physics of, as applied in ophthalmology, 757, 793–828
  defined, 793–795
  effects on tissue, 548–549
  frequencies of, 573. *See also* Frequency
  generation and detection of, 801–802
  vs. optical and x-ray techniques, 668–669
  in other fields, vii
  physical properties of, 585
  pulsed, 548–549
United Health Foundations, 573
Uveitis
  and echoes, 557
  vs. vitreous opacities, 564

Vascular anomalies, diagnosis, 587
Velocity

bar, 795
bulk, 795
particle, 796
sonic, 821, 822
in medium, and molecular sizes, 794
values, 823
Video presentation, differentiated, 820
Viscosity of thick fluids reduced by mechanical vibrations, 721
Visual axis
alignment in A-mode measurement, 670
device for, 671
measurements along, 668
Visual data, 709
Vitreous
collagen gel structure, 729
hemorrhage of, 564, 565, 566, 568, 569, 577, 710
echoes from, 696, 697
liquefaction and removal of, 721–725
ultrasonic patterns, 580–581
hyperplastic primary, 566
liquefaction approach to be used, 735
Vitreous exudation, echoes of, 562
Vitreous opacities, 580–581
acoustic properties, 563–564
clinical significance, 566
differential diagnosis, 564–566
echoes from, 545, 776
echograms, 564
exudative, echogram of, 564
Vitreous reaction and foreign body, 688
Vitreous traction sheets mimicking detached retina, 697
Voltage, horizontal deflection. *See* Sweep voltage
Von Recklinghausen's disease, 656

Water bath, 783, 788
Water coupling vs. contact coupling, 594
Water-coupling path, 593
Wave(s)
sonic, diffraction, 808–811
energy and intensity, 799–800
longitudinal, 794
plane-progressive, entering higher velocity medium, 806
propagation, 808, 809
physics, 802–804
and range of frequency, 795
through parallel-faced layers, 813–816
refraction and reflection, 804–808
sources generating, 803
ultrasonic, 793
absorption and attenuation, 811–813
detection by piezoelectric crystals, 801
physical character, 795–800
Wavelength
α, formula for, 523
defined, 796
as function of frequency, 525
"Well," plastic, in foreign body management, 693
Wide beam artifact, 592
Wood, R. W., 709

Xenon arc, 720
X-ray
examination, of orbit, 586–587
supplementary, 638
and foreign bodies, 752
localization, 747, 753
errors in techniques, 686, 702
measurement technique, 668, 669
vital in foreign body management, 685

Young's modulus, 757

Zero line. *See* Homogeneity, acoustic
Zero point error, 774